

DCD P 600 N

DOUBLE-CLIP MACHINE



Why clip with DCD P 600 N?

The DCD P 600 N double-clip machine securely closes all nets. The pneumatic machine is also ideal for installation in secured packaging units. The clip-version P 600 N3 is a special designed and patented plastic clip formed like a trident. Its shape ensures that it pins particularly reliably to all nets. The clip cannot be pulled off the net.

Specialist for netting

- Netted packaging for fruit, vegetable, bulk products and similar
- Suitable as final packaging for metal detection
- Plastic clips on spool
- Easy operation
- Compact double clipper for netting of any kind
- Products can detect metal through plastic clip
- Secure hold thanks to the special design of the net clip

Excellence in Clipping



DETAILS

Advantages

- Ergonomic product feed and operation
- Free view of the working area
- Separator absolutely gentle to the netting
- Also suitable for fixing flags and price tags
- Pneumatic pressure control guarantees gentle net closure
- High performance by low purchase costs
- Pneumatic cut-off knife
- Processes high-quality plastic clips – certified safe for use with food by SGS INSTITUT FRESENIUS
- Secure stand
- Very simple maintenance

Quality and hygiene

- Made completely of stainless steel and robust industrial plastics
- Easy to clean due to smooth surfaces

Equipment options

- Version with automatic separator for integration in secured packaging lines
- Pressure reducer with filter

Consumables

- P-Clip: P 636 N3

Function and operation

The DCD P 600 N operates pneumatically. By closing the ergonomically shaped separator gate the end of the net and the start of the next packaging unit are securely closed. At the same time, the net can be cut through between the two clips by the press of a button.

Clip System Solutions

The complete system of clipping machine, clips and loops from a single source ensures efficient and trouble-free production. Original clips from Poly-clip System guarantee the highest quality. Manufacturing is subject to the most rigorous quality controls. Certified in accordance with ISO 22000 and ISO 9001 they are designed to suit the production process perfectly. With its food-proof safety coating certified by the SGS INSTITUT FRESENIUS, Poly-clip SAFE-COAT technology ensures trouble-free production and if required a no-worry product warranty. Poly-clip System is the world's leading provider of clip system solutions.



TECHNICAL DATA



Plastic clip P 600 N3 for secure closing of nets with the DCD P 600 N

Width
240 mm

Depth
520 mm

Height
950 mm

Weight
27 kg

Compressed air
**5 – 6 bar/
0,5 – 0,6 MPa**

Air consumption
4,6 NL/Cycle

Dimensions, weight and consumption values vary depending on the equipment and/or machine configuration.

Excellence in Clipping

