

EZ 8080

SINGLE-CLIP MACHINE



Why clip with EZ 8080?

The clipping machine EZ 8080 of the Easy Clip Line® reliably closes bags, films and nets. A wide variety of food products such as poultry or fruits and vegetables can be packaged. It is also ideally suited to the packaging of non-food products such as carpets, blankets and small items. The EZ 8080 closes high-strength large bags and thick films without difficulty.

For thick films and large bags

- For closure of large bags, sacks, nets and thick films
- Made of high-quality stainless steel and industrial plastic
- Stable machine design
- Optionally available with pneumatic knife for short tails

Excellence in Clipping



DETAILS

Advantages

- Firm, tight and hygienic packaging due to clip closure
- Table top version, left-hand
- Suitable for vacuum packaging and shrink bags

Quality and hygiene

- Hygienic design made of stainless steel and industrial plastic for easy cleaning

Maintenance

- Low maintenance and low wear owing to the small number of moving parts

Equipment options

- Pneumatic knife with cut-off valve, optimised for thick film material
- Handle valve for manual triggering of the pneumatic knife
- Pressure reducer with filter
- Machine feet (table top version)

Consumables


- S-Clip: S 840, S 844, S 848, S 854, S 860

Function and operation

The clipping machine EZ 8080 operates pneumatically. It is designed for the efficient packaging of a wide variety of products. The film, bag or net is gathered by the closing of the separator gate and the clipping process is automatically triggered. Optionally, the tail may in parallel with this be shortened with the pneumatic knife. Alternatively, this function may be switched off by means of the cut-off valve..

Clip System Solutions

The complete system of clipping machine, clips and loops from a single source ensures efficient and trouble-free production. Original clips from Poly-clip System guarantee the highest quality. Manufacturing is subject to the most rigorous quality controls. Certified in accordance with ISO 22000 and ISO 9001 they are designed to suit the production process perfectly. With its food-proof safety coating certified by the SGS INSTITUT FRESENIUS, Poly-clip SAFE-COAT technology ensures trouble-free production and if required a no-worry product warranty. Poly-clip System is the world's leading provider of clip system solutions.



TECHNICAL DATA

Width

283 mm

Depth

360 mm

Height

1.015 mm

Weight

41 kg

Compressed air

**5 – 7 bar/
0,5 – 0,7 MPa**

Air consumption 6 bar

7,9 NL/Cycle

Dimensions, weight and consumption values vary depending on the equipment and/or machine configuration.



EZ 8080 with optional knife

EZ_8080_gb_13.05.22_ (DD.MM.YY)_©Poly-clip_System We reserve the right to make technical changes.

Excellence in Clipping

