

### Why clip with EZ P 9015?

The Easy Clip Line® machines safely package substances in granular, powder or solid form. The EZ P 9015 is specially designed for use of plastic clips and is suitable, in particular, for use of metal detectors and for filling of chemical/pharmaceutical substances, like granules and in particular corrosive, toxic and easily flammable substances. Possible filling goods in the food sector are, e.g., poultry, fruit or vegetables.

#### For chemical substances

- Horizontal Single-Clip Machine
- For closure of very heavy and large bags, sacks and nets
- Tamper-proof originality closure
- Made of high-quality stainless steel and industrial plastic



## DETAILS

#### **Advantages**

- Quick, tight and reliable closure with uniform packaging
- Safe closing of the separator gate due to two-handed operation
- Also suitable for installation in packaging plants

#### **Quality and hygiene**

 Hygienic design made of stainless steel and industrial plastic for easy cleaning

#### Maintenance

 Low maintenance and low wear owing to the small number of moving parts

#### **Equipment options**

- Easy to move and position due to trolley with fixable wheels to ensure good hold
- Bracket for mounting on rod at diameters of 35 to 48 mm for horizontal version
- Pressure reducer with filter

#### **Consumables**

P-Clip: P 911, P 939, P 961

#### **Function and operation**

The clippers operate pneumatically. The filled bags are automatically gathered by insertion into the clip guide slot and closing the separator gate by safe twohanded operation. At the same time, the clipping process is initiated and the product is reliably packaged.

#### **Clip System Solutions**

The complete system of clipping machine, clips and loops from a single source ensures efficient and trouble-free production. Original clips from Poly-clip System guarantee the highest quality. Manufacturing is subject to the most rigorous quality controls. Certified in accordance with ISO 22000 and ISO 9001 they are designed to suit the production process perfectly. With its food-proof safety coating certified by the SGS INSTITUT FRESENIUS, Poly-clip SAFE-COAT technology ensures trouble-free production and if required a no-worry product warranty. Poly-clip System is the world's leading provider of clip system solutions.



# TECHNICAL DATA



Width

500 mm

Depth

800 mm

Height

850 — 910 mm Weight

34 kg

Compressed air

5 - 7 bar/ 0,5 - 0,7 MPa Air consumption

7,9 NL/Cycle

Dimensions, weight and consumption values vary depending on the equipment and/or machine configuration.

**Excellence in Clipping** 

