

# SCD P 600

## SINGLE-CLIP MACHINE



### Why clip with SCD P 600?

The SCD P clipping machines guarantee safe and reliable packaging for fruit, vegetables, bakery products, bulk materials and many other products in bags and nets. The closing of products with plastic clips is suitable where inspection with metal detectors is carried out.

### Plastic clip closure

- For bags and nets
- Processes plastic clips on spool in various sizes and colours
- Use with metal detectors
- Made of high-quality stainless steel and industrial plastic

Excellence in Clipping



# DETAILS

## Advantages

- High performance by low purchase costs
- Compressed air operation with low air consumption
- Processes high-quality plastic clips – certified safe for use with food by SGS INSTITUT FRESENIUS
- Clip and loop manufacture certified in accordance with ISO 22000
- Patented clip shape with precise guidance of clip
- Manual cutting knife
- Low maintenance and low wear owing to the small number of moving parts
- Service-friendly, easy exchange of die and cutting knife
- Secure stand

## Quality and hygiene

- Made completely of stainless steel and robust industrial plastics
- Easy to clean due to smooth surfaces

## Equipment options

- Looper (GSE)
- Pneumatic cut-off knife
- Pressure reducer with filter
- Flow control
- Trolley for horizontal version
- Bracket for mounting on rod at diameters of 35 to 48 mm for horizontal version
- Depositing plate for horizontal version

## Consumables

- P-Clip: P 632, P 638

## Function and operation


The single-clippers are operated pneumatically. By closing the ergonomically shaped gate, the bag or net is gathered and the clipping process is automatically triggered. Clip height can be adjusted reproducibly over a grid scale. In addition, the closing speed and force can be adjusted with the flow control and the pressure regulator.

## Clip System Solutions

The complete system of clipping machine, clips and loops from a single source ensures efficient and trouble-free production. Original clips from Poly-clip System guarantee the highest quality. Manufacturing is subject to the most rigorous quality controls. Certified in accordance with ISO 22000 and ISO 9001 they are designed to suit the production process perfectly. With its food-proof safety coating certified by the SGS INSTITUT FRESENIUS, Poly-clip SAFE-COAT technology ensures trouble-free production and if required a no-worry product warranty. Poly-clip System is the world's leading provider of clip system solutions.



# TECHNICAL DATA



Width

**315 mm**

Depth

**540 mm**

Height

**735 mm**

Weight

**12 kg**

Compressed air

**5 – 7 bar/  
0,5 – 0,7 MPa**

Air consumption

**3,3 NL/Cycle**

Dimensions, weight and consumption values vary depending on the equipment and/or machine configuration.

**Excellence in Clipping**

